




[図1] Fig 1




[図2] Fig 2




[図3] Fig 3




[[図4] Fig. 4



[[図5] Fig. 5




[[図6] Fig. 6







[図8] Fig 8




[図9] Fig 9




[図10] Fig 10




[図11] Fig 11




[図12] Fig. 12




[図13] Fig. 13



[図14] Fig. 14




[図15] Fig. 15







[図16] Fig 16




[図17] Fig 17




[図18] Fig. 18



[図19] Fig. 19



[図20] Fig 20



[図21]




Fig. 21

70: OPERATION DIRECTION CENTER

71: STATION MONITOR PANEL

72: INTEGRATED CONTROL PANEL

73: TRAIN-SIDE TRANSMITTER/RECEIVER

74: GROUND-SIDE TRANSMITTER/RECEIVER

75a, 75b, 75c and 75d: INDIVIDUAL CONTROL PANEL

[図22]

Fig 22

	A	B	C	D
PATTERN 1	0	10	10	0
PATTERN 2	10	0	0	-10
PATTERN 3	0	-5	5	0
PATTERN 4	0	3	7	0

SLIDE AMOUNT OF DOOR CONTROLLER: STROKE COMMAND VALUE x 100 (mm)

[図23]

Fig 23

73: TRAIN-SIDE TRANSMITTER RECEIVER  
 74: GROUND-SIDE TRANSMITTER RECEIVER  
 72: INTEGRATED CONTROL PANEL  
 75a, 75b and 75c: INDIVIDUAL CONTROL PANEL






Fig.24

[図24]



[Fig. 25]



[Fig. 26]

